

Catalogue

Model No.	Power	Description of Commodity & Specification	Picture
ATX0130F	300W	300W Dimension 150*140*86mm, Compliance with Intel ATX12V V2.2, Multiple protection (OPP/OMP/OCP/OTP/SCP), Optional Passive PFC	
ATX0135F	350W	350W Dimension 150*140*86mm, Compliance with Intel ATX12V V2.2, Multiple protection (OPP/OMP/OCP/OTP/SCP), Optional Passive PFC	
ATX0140F	400W	400W Dimension 150*140*86mm, Compliance with Intel ATX12V V2.2, Multiple protection (OPP/OMP/OCP/OTP/SCP), Optional Passive PFC	
ATX0240F	400W	400W Dimension 150*140*86mm, 80PLUS Bronze High Efficiency > 82 %, Compliance with Intel ATX12V V2.31, Multiple protection (OPP/OMP/OCP/OTP/SCP), Active PFC	
ATX0245F	450W	450W Dimension 150*140*86mm, 80PLUS Bronze High Efficiency > 82 %, Compliance with Intel ATX12V V2.31, Multiple protection (OPP/OMP/OCP/OTP/SCP), Active PFC	
ATX0250F	500W	500W Dimension 150*140*86mm, 80PLUS Bronze High Efficiency > 82 %, Compliance with Intel ATX12V V2.31, Multiple protection (OPP/OMP/OCP/OTP/SCP), Active PFC	
ATX0255F	550W	550W Dimension 150*140*86mm, 80PLUS Bronze High Efficiency > 82 %, Compliance with Intel ATX12V V2.31, Multiple protection (OPP/OMP/OCP/OTP/SCP), Active PFC	
ATX0260F	600W	600W Dimension 150*140*86mm, 80PLUS Bronze High Efficiency > 82 %, Compliance with Intel ATX12V V2.31, Multiple protection (OPP/OMP/OCP/OTP/SCP), Active PFC	

E-Stars Int'l Tech. Co., Limited

Tel: +86-755-26784986 Fax: +86-755-26792059

WebSite: <http://www.estarspower.com> Mail: info@estarspower.com

ATX0340F	400W	400W Dimension 150*140*86mm,80PLUS GOLD High Efficiency > 87 %, Compliance with Intel ATX12V V2.31, Multiple protection (OPP/OVP/OCP/OTP/SCP),Active PFC,Support Intel Core 2 & Quad Core CPUs	
ATX0350F	500W	500W Dimension 150*140*86mm,80PLUS GOLD High Efficiency > 87 %, Compliance with Intel ATX12V V2.31, Multiple protection (OPP/OVP/OCP/OTP/SCP),Active PFC,Support Intel Core 2 & Quad Core CPUs	
ATX0360F	600W	600W Dimension 150*140*86mm,80PLUS GOLD High Efficiency > 87 %, Compliance with Intel ATX12V V2.31, Multiple protection (OPP/OVP/OCP/OTP/SCP),Active PFC,Support Intel Core 2 & Quad Core CPUs	
ATX400	380W	380W Dimension 150*140*86mm,Compliance with Intel ATX12V V2.2 , Multiple protection (OPP/OVP/OCP/OTP/SCP),Optional Passive PFC	
ATX460	420W	420W Dimension 150*140*86mm,Compliance with Intel ATX12V V2.2 , Multiple protection (OPP/OVP/OCP/OTP/SCP),Optional Passive PFC	
ATX500	450W	450W Dimension 150*140*86mm,Compliance with Intel ATX12V V2.2 , Multiple protection (OPP/OVP/OCP/OTP/SCP),Optional Passive PFC	
ENH0620	200W	200W Dimension 200*100*40.5mm,Suitable for 1U/Flex-ATX Form-Factor, Multiple Protection (OPP/OVP/SCP),Active PFC	
ENH0630A	300W	300W Dimension 200*100*40.5mm,Suitable for 1U/Flex-ATX Form-Factor, Multiple Protection (OPP/OVP/SCP),Active PFC	
ENH0635A	350W	350W Dimension 200*100*40.5mm,Suitable for 1U/Flex-ATX Form-Factor, Multiple Protection (OPP/OVP/SCP),Active PFC	

E-Stars Int'l Tech. Co., Limited

Tel: +86-755-26784986 Fax: +86-755-26792059

WebSite:<http://www.estarspower.com> Mail: info@estarspower.com

ENH0840A	400W	400W Dimension 245*100*40.5mm, Suitable for 1U/TFX/Flex-ATX Form-Factor, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OMP/UMP/OCP/SCP), Active PFC	
ENH1920	200W	200W Dimension 180*100*40.5mm, 80PLUS High Efficiency >80%, EPS 1U Form-Factor with Dual +12V outputs, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OMP/UMP/OCP/SCP), Active PFC	
ENH1925	250W	250W Dimension 180*100*40.5mm, 80PLUS High Efficiency >80%, EPS 1U Form-Factor with Dual +12V outputs, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OMP/UMP/OCP/SCP), Active PFC	
ENH1930	300W	300W Dimension 180*100*40.5mm, 80PLUS High Efficiency >80%, EPS 1U Form-Factor with Dual +12V outputs, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OMP/UMP/OCP/SCP), Active PFC	
ENP181	150W	150W Dimension 180*100*40.5mm, Suitable for 1U/TFX/Flex-ATX Form-Factor Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP)	
ENP2220A	200W	200W Dimension 150*82*62mm, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP), Passive PFC	
ENP2222A	220W	220W Dimension 150*82*62mm, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP), Passive PFC	
ENP2224B	240W	240W Dimension 175*85*65mm, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP), Passive PFC	
ENP2320B	200W	200W Dimension 150*81.5*40.5mm, Suitable for 1U/TFX/Flex-ATX Form-Factor, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP), Active PFC	

E-Stars Int'l Tech. Co., Limited

Tel: +86-755-26784986 Fax: +86-755-26792059

WebSite: <http://www.estarspower.com> Mail: info@estarspower.com

ENP2320C	200W	200W Dimension 150*81.5*43mm, Suitable for 1U/TFX/Flex-ATX Form-Factor, Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP), Active PFC	
ENP2322B	220W	220W Dimension 150*81.5*40.5mm, Suitable for 1U/TFX/Flex-ATX Form-Factor, Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP), Active PFC	
ENP2322C	220W	220W Dimension 150*81.5*43mm, Suitable for 1U/TFX/Flex-ATX Form-Factor, Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP), Active PFC	
ENP3330A	300W	300W Dimension 175*85*65mm, Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP), Active PFC	
ENP3330B	300W	300W Dimension 190*85*37mm, Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP), Active PFC	
ENP3927B	275W	275W Dimension 150*81.5*40.5mm, 80PLUS High Efficiency > 80 %, Suitable for 1U/TFX/Flex-ATX Form-Factor, Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP), Active PFC	
ENP3927C	275W	275W Dimension 150*81.5*43mm, 80PLUS High Efficiency > 80 %, Suitable for 1U/TFX/Flex-ATX Form-Factor, Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP), Active PFC	
ENP6760A	600W	600W Dimension 150*160*86mm, 80PLUS High Efficiency > 80%, Compliance with Intel ATX12V V2.2, Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP), Active PFC	
ENP6770A	700W	700W Dimension 150*160*86mm, 80PLUS High Efficiency > 80%, Compliance with Intel ATX12V V2.2, Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP), Active PFC	

E-Stars Int'l Tech. Co., Limited

Tel: +86-755-26784986 Fax: +86-755-26792059

WebSite: <http://www.estarspower.com> Mail: info@estarspower.com

ENP7020B	200W	200W Dimension 150*81.5*40.5mm,80PLUS Bronze High Efficiency > 82 %, Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
ENP7020C	200W	200W Dimension 150*81.5*43mm,80PLUS Bronze High Efficiency > 82 %, Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
ENP7020E	200W	200W Dimension 175*85*65mm,80PLUS Bronze High Efficiency > 82 %, Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
ENP7020F	200W	200W Dimension 150*81.5*43mm,80PLUS Bronze High Efficiency > 82 %, Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
ENP7022B	220W	220W Dimension 150*81.5*40.5mm,80PLUS Bronze High Efficiency > 82 %, Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
ENP7022C	220W	220W Dimension 150*81.5*43mm,80PLUS Bronze High Efficiency > 82 %, Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
ENP7022E	220W	220W Dimension 175*85*65mm,80PLUS Bronze High Efficiency > 82 %, Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
ENP7022F	220W	220W Dimension 150*82*63mm,80PLUS Bronze High Efficiency > 82 %, Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
ENP7025B	250W	250W Dimension 150*81.5*40.5mm,80PLUS Bronze High Efficiency > 82 %, Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	

E-Stars Int'l Tech. Co., Limited

Tel: +86-755-26784986 Fax: +86-755-26792059

WebSite:<http://www.estarspower.com> Mail: info@estarspower.com

ENP7025C	250W	250W Dimension 150*81.5*43mm,80PLUS Bronze High Efficiency > 82 %, Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
ENP7025E	250W	250W Dimension 175*85*65mm,80PLUS Bronze High Efficiency > 82 %, Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
ENP7025F	250W	250W Dimension 150*82*63mm,80PLUS Bronze High Efficiency > 82 %, Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
ENP7027B	270W	270W Dimension 150*81.5*40.5mm,80PLUS Bronze High Efficiency > 82 %, Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
ENP7027C	270W	270W Dimension 150*81.5*43mm,80PLUS Bronze High Efficiency > 82 %, Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
ENP7027E	270W	270W Dimension 175*85*65mm,80PLUS Bronze High Efficiency > 82 %, Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
ENP7027F	270W	270W Dimension 150*82*63mm,80PLUS Bronze High Efficiency > 82 %, Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
ENS0748	480W	480W Dimension 200*100*66.5mm, Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
EPS0610GA	1000W	1000W Dimension 180*150*86mm,80PLUS High Efficiency > 80%,Compliance with Intel EPS12V,Support Intel Core 2 & Quad Core CPUs.Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	

E-Stars Int'l Tech. Co., Limited

Tel: +86-755-26784986 Fax: +86-755-26792059

WebSite:<http://www.estarspower.com> Mail: info@estarspower.com

EPS0612GA	1200W	1200W Dimension 180*150*86mm, 80PLUS High Efficiency > 80%, Compliance with Intel EPS12V, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP), Active PFC	
EPS0685GA	850W	850W Dimension 180*150*86mm, 80PLUS High Efficiency > 80%, Compliance with Intel EPS12V, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP), Active PFC	
EPS0690GA	900W	900W Dimension 180*150*86mm, 80PLUS High Efficiency > 80%, Compliance with Intel EPS12V, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP), Active PFC	
EPS0815A	850W	850W Dimension 220*150*86mm, 80PLUS High Efficiency > 85%, Compliance with Intel EPS12V, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP), Active PFC	
EPS1210	1000W	1000W Dimension 180*140*86mm, 80PLUS High Efficiency > 80%, Compliance with Intel EPS12V, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP), Active PFC	
EPS1270	700W	700W Dimension 150*140*86mm, 80PLUS High Efficiency > 85%, Compliance with Intel EPS12V, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP), Active PFC	
EPS1280	800W	800W Dimension 150*140*86mm, 80PLUS High Efficiency > 85%, Compliance with Intel EPS12V, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP), Active PFC	
EPS1290	900W	900W Dimension 150*140*86mm, 80PLUS High Efficiency > 85%, Compliance with Intel EPS12V, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP), Active PFC	
EPS1570	700W	700W Dimension 150*140*86mm, 80PLUS High Efficiency > 87%, Compliance with Intel EPS12V, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OMP/UMP/OCP/OTP/SCP), Active PFC	

E-Stars Int'l Tech. Co., Limited

Tel: +86-755-26784986 Fax: +86-755-26792059

WebSite: <http://www.estarspower.com> Mail: info@estarspower.com

EPS1580	800W	800W Dimension 150*140*86mm,80PLUS High Efficiency > 87% ,Compliance with Intel EPS12V,Support Intel Core 2 & Quad Core CPUs.Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
EPS1590	900W	900W Dimension 150*140*86mm,80PLUS High Efficiency > 87% ,Compliance with Intel EPS12V,Support Intel Core 2 & Quad Core CPUs.Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
EPS1610	1000W	1000W Dimension 150*140*86mm,80PLUS High Efficiency > 87% ,Compliance with Intel EPS12V,Support Intel Core 2 & Quad Core CPUs.Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
EPS1612	1200W	1200W Dimension 150*160*86mm,80PLUS High Efficiency > 87% ,Compliance with Intel EPS12V,Support Intel Core 2 & Quad Core CPUs.Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
FLEX 0125E	250W	250W Dimension 180*80*40.5mm,80PLUS High Efficiency > 80 % ,Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
FLEX 0130D	300W	300W Dimension 180*80*40.5mm,80PLUS High Efficiency > 80 % ,Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
FLEX0125B	250W	250W Dimension 150*81.5*40.5mm,80PLUS High Efficiency > 80 % ,Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
FLEX0125C	250W	250W Dimension 150*82*43mm,80PLUS High Efficiency > 80 % ,Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	
FLEX0130B	300W	300W Dimension 150*81.5*40.5mm,80PLUS High Efficiency > 80 % ,Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection(OPP/OMP/UMP/OCP/OTP/SCP),Active PFC	

E-Stars Int'l Tech. Co., Limited

Tel: +86-755-26784986 Fax: +86-755-26792059

WebSite: <http://www.estarspower.com> Mail: info@estarspower.com

FLEX0130C	300W	300W Dimension 150*82*43mm,80PLUS High Efficiency > 80 %,Suitable for 1U/TFX/Flex-ATX Form-Factor,Support Intel Core 2 & Quad Core CPUs.Multiple Protection(OPP/OMP/UVP/OCP/OTP/SCP) ,Active PFC	
SFX0520A	200W	200W Dimension 125*100*77mm,80Plus high Efficiency > 80%,Complaine with Intel SFX 12V,Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UVP/OCP/OTP/SCP) ,Active PFC	
SFX0520D	200W	200W Dimension 125*100*77mm,80Plus high Efficiency > 80%,Complaine with Intel SFX 12V,Support Intel Core 2 & Quad CPUs. Multiple Protection(OPP/OMP/UVP/OCP/OTP/SCP) ,Active PFC	
SFX0520F	200W	200W Dimension 125*120*63.5mm,80Plus high Efficiency > 80%,Complaine with Intel SFX 12V,Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UVP/OCP/OTP/SCP) ,Active PFC	
SFX0520H	200W	200W Dimension 125*100*63.5mm,80Plus high Efficiency > 80%,Complaine with Intel SFX 12V,Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UVP/OCP/OTP/SCP) ,Active PFC	
SFX0520J	200W	200W Dimension 125*100*63.5mm,80Plus high Efficiency > 80%,Complaine with Intel SFX 12V,Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UVP/OCP/OTP/SCP) ,Active PFC	
SFX0522A	220W	220W Dimension 125*100*77mm,80Plus high Efficiency > 80%,Complaine with Intel SFX 12V,Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UVP/OCP/OTP/SCP) ,Active PFC	
SFX0522D	220W	220W Dimension 125*100*77mm,80Plus high Efficiency > 80%,Complaine with Intel SFX 12V,Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UVP/OCP/OTP/SCP) ,Active PFC	
SFX0522F	220W	220W Dimension 125*120*63.5mm,80Plus high Efficiency > 80%,Complaine with Intel SFX 12V,Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UVP/OCP/OTP/SCP) ,Active PFC	

E-Stars Int'l Tech. Co., Limited

Tel: +86-755-26784986 Fax: +86-755-26792059

WebSite:<http://www.estarspower.com> Mail: info@estarspower.com

SFX0522H	220W	220W Dimension 125*100*63.5mm,80Plus high Efficiency > 80%,Complaine with Intel SFX 12V,Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UWP/OCP/OTP/SCP) ,Active PFC	
SFX0522J	220W	220W Dimension 125*100*63.5mm,80Plus high Efficiency > 80%,Complaine with Intel SFX 12V,Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UWP/OCP/OTP/SCP) ,Active PFC	
SFX0525A	250W	250W Dimension 125*100*77mm,80Plus high Efficiency > 80%,Complaine with Intel SFX 12V,Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UWP/OCP/OTP/SCP) ,Active	
SFX0525D	250W	250W Dimension 125*100*77mm,80Plus high Efficiency > 80%,Complaine with Intel SFX 12V,Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UWP/OCP/OTP/SCP) ,Active PFC	
SFX0525F	250W	250W Dimension 125*100*63.5mm,80Plus high Efficiency > 80%,Complaine with Intel SFX 12V,Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UWP/OCP/OTP/SCP) ,Active PFC	
SFX0525H	250W	250W Dimension 125*100*63.5mm,80Plus high Efficiency > 80%,Complaine with Intel SFX 12V,Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UWP/OCP/OTP/SCP) ,Active PFC	
SFX0525J	250W	250W Dimension 125*100*63.5mm,80Plus high Efficiency > 80%,Complaine with Intel SFX 12V,Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UWP/OCP/OTP/SCP) ,Active PFC	
SFX0527A	270W	270W Dimension 125*100*77mm,80Plus high Efficiency > 80%,Complaine with Intel SFX 12V,Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UWP/OCP/OTP/SCP) ,Active PFC	
SFX0527D	270W	270W Dimension 125*100*77mm,80Plus high Efficiency > 80%,Complaine with Intel SFX 12V,Support Intel Core 2 & Quad Core CPUs. Multiple Protection(OPP/OMP/UWP/OCP/OTP/SCP) ,Active PFC	

E-Stars Int'l Tech. Co., Limited

Tel: +86-755-26784986 Fax: +86-755-26792059

WebSite:<http://www.estarspower.com> Mail: info@estarspower.com

SFX0527F	270W	270W Dimension 125*63.5mm, 80Plus high Efficiency > 80%, Compliance with Intel SFX 12V, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OVP/UVP/OCP/OTP/SCP), Active PFC	
SFX0527H	270W	270W Dimension 125*100*63.5mm, 80Plus high Efficiency > 80%, Compliance with Intel SFX 12V, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OVP/UVP/OCP/OTP/SCP), Active PFC	
SFX052	270W	270W Dimension 125*100*63.5mm, 80Plus high Efficiency > 80%, Compliance with Intel SFX 12V, Support Intel Core 2 & Quad Core CPUs. Multiple Protection (OPP/OVP/UVP/OCP/OTP/SCP), Active PFC	

E-Stars Int'l Tech. Co., Limited

Tel: +86-755-26784986 Fax: +86-755-26792059

WebSite: <http://www.estarspower.com> Mail: info@estarspower.com